

PERFORMER[®]



a dec[®]

The A-dec Difference

Legendary Reliability

A-dec has earned a reputation for creating equipment of legendary reliability and quality. It is a reputation earned through dedication to excellence, and commitment to innovative, yet simple engineering design. This means you can count on easy maintenance and a long product life.



Control block – Patented design promotes clean treatment water with every activation.



Lift cylinder – A-dec built and engineered with robust hydraulics and fewer parts.



A-dec LED light – Award-winning silent design incorporates unique “passive cooling” to dissipate heat without a fan.

Assurance

With Performer, you are assured comfort and simplicity. Add to that the



peace of mind that comes with A-dec's five-year warranty. It's all part of what makes A-dec, A-dec.



Performer


Features Overview

Designed to give you flexibility, access and comfort, Performer answers the need for a value-oriented system, including a rich feature set that supports productivity.



Choices

Performer is known for its reliability. Now with added functionality and a multitude of options, you can feel secure in the knowledge that this is a chair built for the long term.



Front- or back-mounted delivery system



Disc or Lever foot control



Standard or Deluxe touchpad



Monitor mount available



Rotating vitreous china cuspidor available



Assistant's 3-position holder with Durr HVE, saliva ejector switched holders and optional syringe



A-dec 300 LED



A-dec 500 LED

Left- or Right-handed, You Decide

Performer's delivery system and assistant's instrumentation is easy to switch between right- and left-handed users. The ambidextrous design offers full flexibility and efficiency for the team, and creates a more flexible setup for patient entry and exit.



Formed Upholstery Color Choices



Order Your Samples at
a-dec.com/InspireMe



Quick Facts

- Left- or right-hand configuration
- Smooth, quiet hydraulic cantilever system
- Choice of 300 LED or 500 LED light
- Choose a front- or back-mounting location for the delivery system
- Large 2-liter water bottle requires fewer refills
- Monitor mount with swivel and tilt
- User programmable touchpad
- Assistant's instrumentation SYR/HVE/SE
- Chair back and base stop switch
- Robust cast metal construction
- 400 pound (181kg) patient capacity
- Single or two-piece floorbox accommodates placement of utilities
- Contemporary and stylish delivery system
- 300 watt power supply

Legendary A-dec Reliability

You can count on A-dec equipment to work when you do. Reliable components on the inside and attention to detail everywhere else. With A-dec, you get equipment that looks beautiful and works consistently. Day after day. Year after year.



A-dec Headquarters

2601 Crestview Drive
Newberg, Oregon 97132 USA
Tel: 1.800.547.1883 within USA/CAN
Tel: 1.503.538.7478 outside USA/CAN
Fax: 1.503.538.0276
a-dec.com

A-dec Australia

Tel: 1.800.225.010 within AUS
Tel: +61.(0)2.8332.4000 outside AUS

A-dec China

Tel: 400.600.5434 within CN
Tel: +86.571.89026088 outside CN

A-dec United Kingdom

Tel: 0800.233285 within UK
Tel: +44.(0).24.7635.0901 outside UK

A-dec, the A-dec logo, A-dec Inspire, Cascade, Century Plus, Continental, Decade, ICX, ICV, Performer, Preference, Preference Collection, Preference ICC, and Radius are trademarks of A-dec Inc. and are registered in the United States and other countries. A-dec 500, A-dec 400, A-dec 300, A-dec 200, and reliablecreativesolutions are also trademarks of A-dec Inc. None of the trademarks or trade names in this document may be reproduced, copied, or manipulated in any manner without the express, written approval of the trademark owner.

Certain touchpad symbols are proprietary to A-dec Inc. Any use of these symbols, in whole or in part, without the express written consent of A-dec Inc., is strictly prohibited.

The colors and products shown may vary from the actual materials and are subject to change without notice. Please see your authorized A-dec dealer for accurate color samples and the most current product information.

©2018 A-dec Inc. All rights reserved.
85.6060.25/PP/1M/10-18/Rev B